

3 HEALTH STATUS INDICATORS

- 3.1 Morbidity**
- 3.1.1 Communicable diseases**
- 3.1.1.1 States/UTs wise Cases and Deaths due to Malaria 2001-05
- 3.1.1.2 States/UTs wise Estimated Population Exposed to the Risk & Cases of Lymphatic Filariasis in India 2005
- 3.1.1.3 Cases & Deaths Due to Kala-Azar 2001-05
- 3.1.1.4 Cases & Deaths Due to Japanese Encephalitis 2000-05
- 3.1.1.5 Cases & Deaths Due to Dengue in India 1999-05
- 3.1.1.6 States/UTs wise Cases & Deaths Due to Cholera in India 2005
- 3.1.1.7 States/UTs wise Cases and Deaths Due to Acute Diarrhoeal Disease in India 2005
- 3.1.1.8 States/UTs wise Cases and Deaths Due to Enteric Fever (Typhoid) in India 2005
- 3.1.1.9 States/UTs wise Cases & Deaths Due to Acute Respiratory Infection in India 2005
- 3.1.1.10 States/UTs wise Cases & Deaths Due to Tetanus Neonatal in India 2005
- 3.1.1.11 States/UTs wise Cases & Deaths Due to Tetanus in India 2005
- 3.1.1.12 States/UTs wise Cases & Deaths Due to Diphtheria in India 2005
- 3.1.1.13 States/UTs wise Cases & Deaths due to Whooping Cough in India 2005
- 3.1.1.14 States/UTs wise Cases & Deaths Due to Measles in India 2005
- 3.1.1.15 States/UTs wise Cases and Deaths Due to Viral Hepatitis (All Causes) in India 2005
- 3.1.1.16 States/UTs wise Cases and Deaths Due to Rabies in India 2005
- 3.1.1.17 States/UTs wise Observed HIV Prevalence Levels in India 1998-04
- 3.1.1.18 States/UTs wise Cases of AIDS in India 2005
- 3.1.1.19 Annual Performance of RNTCP Case Detection (2005), Smear Conversion (4th Quarter,2004 and 1st to 3rd quarter,2005), and Treatment Outcomes (2004)
- 3.1.1.20 States/UTs wise Leprosy Case Detection, Treatment & Discharge in India 2004-05
- 3.1.2 Non Communicable Diseases**
- 3.1.2.1 Number of Estimated Cases of Coronary Heart Disease in India 2000 & 2005
- 3.1.2.2 Number of Estimated Cases of Diabetes in India 2000 & 2005
- 3.1.2.3 States/UTs wise Estimated Prevalence of Blindness in India 2004
- 3.1.2.4 States/UTs wise Estimated Incidences of Blindness in India 2004
- 3.1.2.5 Estimated Incidence of Common Cancers in India, 2004
- 3.1.3 Incidence of Deaths due to Accidents in India 2001-03

3.2 Reproductive & Child Health

- 3.2.1 States/UTs wise Ante Natal Care In India 1998-99
- 3.2.2 States/UTs wise Percentage of Deliveries Attended by Trained Personnel in India 1998-99
- 3.2.3 States/UTs wise Percentage of Population Using Contraceptives in India 1998-99
- 3.2.4 States/UTs wise Percentage of Children Immunized In India 1998-99
- 3.2.5 States/UTs wise Percentage of Children Breastfed in India 1998-99
- 3.2.6 States/UTs wise Percentage of Children & Women Suffering from Malnutrition and Average Calorie Intake in India 1998-99
- 3.2.7 States/UTs wise Incidence of Foeticide and Infanticide in India 1999-03

3.3 Disability

- 3.3.1 States/UTs wise Proportion of Disabled Population by Type of Disability in India 2001

Health Status Indicators

Health status includes a set of indicators used to provide important health and health-related data regarding incidence and prevalence of disease, health risks and performance of health systems. Health status provides a broad overview of morbidity patterns in communicable and non-communicable diseases. Besides it provides an overview of reproductive and child health as well as disability prevailing in the country.

Morbidity among **communicable diseases** include incidence, prevalence, deaths and performance of disease control programme for malaria, tuberculosis, AIDS, leprosy, dengue, cholera, filariasis, kala azar, Japanese fever, measles, whooping cough, viral hepatitis, diphtheria, ARI, tetanus and neonatal tetanus.

- ❑ In 1998, Malaria, Dengue & other vector borne conditions were estimated to account for 1.6% of India's total disease burden while 297222 cases & deaths 204 due to Malaria in 2005 in the country.
- ❑ In 2005, a total of 97% percent population was covered under the Revised National Tuberculosis Programme (RNTCP).
- ❑ According to National AIDS Control Organization, 117716 AIDS cases were detected in the country till 31st December 2005.
- ❑ Cases & deaths due to Cholera in India 1991 were 7088 & 150 respectively that has been reduced to 3155 & 6 in 2005.
- ❑ The prevalence of leprosy has been brought down to 1.34 cases per 10000 population (as on 31 March 2004) while 260063 new cases were reported during 2004-05.

Morbidity indicators for **non-communicable diseases** include incidence, prevalence, deaths and performance of disease control programme for Blindness, Cancers, Coronary Heart Disease and Diabetes. This accounts for the second largest share of the disease burden in India after Communicable diseases.

- ❑ The number of cases of coronary heart disease was estimated to be nearly 2.7 crore for the year 2000, which is expected to reach a figure of nearly 6.1 crore cases in the year 2015. This pattern is nearly same across age groups. More than half of this rise can be accredited to demographic changes but the contribution of increased prevalence of risk factors is also substantial.
- ❑ According to estimates for 2004 based on cancer registries across the country, cervical and breast cancers accounted for more than 47% of cancer incidence in the country.
- ❑ Estimated prevalence of blindness in 2004 was 11.2 (10.2 among male and 12.2 among female) per thousand population and is expected to remain more or less the same during the next two decades
- ❑ There were 259625 accidental deaths reported in the country in the year 2003.
- ❑ According to National Family Health Survey 1998-99, only 43.8% of Indian mothers received three or more anti-natal checkups, 33.6% of deliveries were conducted in medical institution while another 42.3% deliveries were assisted by medical professional.
- ❑ 42% of Indian children received all vaccinations while 14.4% did not receive any vaccination
During 1998-99, 47% of children under 3 yr age were underweight while 51.8% of women of age group 15-49 yrs suffered from anaemia.

3.1 Morbidity

3.1.1 Communicable diseases

3.1.1.1 States/UTs wise Cases and Deaths due to Malaria 2001-05

S. No.	State/UTs	2001		2002		2003		2004		2005 ¹	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7	8	9	10	11
1	Andhra Pradesh	57735	1	38053	0	35995	3	35427	2	11583	0
2	Arunachal Pradesh	56030	14	46431	0	34810	0	29849	0	1268	0
3	Assam	95142	122	89601	72	76570	53	58134	54	9880	25
4	Bihar	4108	0	3683	2	2652	1	1872	0	8	0
5	Chhattisgarh	290666	32	235434	3	194419	4	194256	4	20154	2
6	Goa	12331	12	16818	15	11370	1	7839	7	766	0
7	Gujarat	81347	19	82966	17	130744	65	222759	89	33942	0
8	Haryana	1202	0	936	0	4374	0	10064	0	1762	0
9	Himachal Pradesh	349	0	176	0	133	0	126	0	15	0
10	Jammu & Kashmir	912	0	455	0	320	0	250	0	23	0
11	Jharkhand	130784	21	126589	31	118902	13	73893	39	12339	0
12	Karnataka	197625	21	132584	33	100220	22	80961	27	27863	5
13	Kerala	2289	9	3360	8	2575	7	2790	12	387	0
14	Madhya Pradesh	183118	81	108818	30	99708	22	132094	36	11012	0
15	Maharashtra	56043	50	45568	43	62947	85	68988	61	11507	5
16	Manipur	943	5	1268	9	2589	17	2736	8	497	2
17	Meghalaya	20630	17	17918	41	18366	38	18080	29	3033	3
18	Mizoram	10929	43	7859	35	7293	48	7830	72	2389	36
19	Nagaland	4318	1	3945	0	3370	0	2486	1	756	0
20	Orissa	454541	305	473223	465	421323	333	416732	283	80021	61
21	Punjab	604	0	250	0	379	1	1643	0	152	0
22	Rajasthan	129233	36	68627	11	142738	66	105022	20	4043	0
23	Sikkim	31	0	53	0	278	0	160	3	14	1
24	Tamil Nadu	31551	0	34523	0	43604	0	41732	0	8917	0
25	Tripura	18502	9	13319	5	13807	13	17453	16	4663	1
26	Uttaranchal	1196	0	1659	0	2350	0	1255	0	185	0
27	Uttar Pradesh	94524	15	90199	0	101411	0	85868	0	17537	0
28	West Bengal	145053	191	194421	152	233802	214	220904	180	30654	63
29	A. & N. Islands	925	1	865	1	753	0	745	0	1485	0
30	Chandigarh	298	0	157	0	84	0	199	0	50	0
31	D & N Haveli	848	0	493	0	468	0	787	0	200	0
32	Daman & Diu	87	0	173	0	141	0	118	0	10	0
33	Delhi	1484	0	1484	0	839	0	1316	0	95	0
34	Lakshadweep	0	0	8	0	6	0	2	0	0	0
35	Pondicherry	106	0	103	0	63	0	43	0	12	0
	Total	2085484	1005	1842019	973	1869403	1006	1844413	943	297222	204

Notes:

1. Provisional

Source: National Anti Malaria Programme/ Now Directorate. of NVBDCP/GOI, 2005

3.1.1.2 States/UTs wise Estimated Population Exposed to the Risk & Cases of Lymphatic Filariasis in India 2005

S.No.	States/UTs ¹	Population at risk			Micro Filaria Carriers	Diseased Person
		Total	Rural	Urban		
	1	2	3	4	5	6
1	Andhra Pradesh	60.21	45.57	14.64	0.49	4.19
2	Assam	11.69	10.50	1.19	0.00	0.00
3	Bihar	72.00	62.80	9.20	0.64	2.72
4	Goa	1.38	0.81	0.57	0.00	0.07
5	Gujarat	20.57	12.39	8.18	0.13	0.98
6	Jharkhand	13.27	10.14	3.13	0.34	9.47
7	Karnataka	35.33	26.40	8.93	0.33	0.61
8	Kerala	26.86	21.80	5.06	0.56	1.09
9	Madhya Pradesh	20.88	3.74	17.14	0.66	0.11
10	Maharashtra	30.45	27.00	3.45	0.63	39.49
11	Orissa	43.79	29.36	14.43	0.67	0.00
12	Tamil Nadu	112.30	95.12	17.18	0.00	5.46
13	Uttar Pradesh	22.62	1.41	21.21	0.50	11.55
14	West Bengal	0.23	0.19	0.04	2.97	0.00
15	A&N Islands	0.14	0.13	0.01	0.00	0.12
16	Daman & Diu	0.08	0.00	0.08	0.05	0.00
17	Lakshadweep	0.05	0.04	0.01	0.34	0.00
18	Pondicherry	0.84	0.41	0.43	0.00	0.05
	Total	472.69	347.81	124.88	0.32	1.13

Note:

1 States & UTs which are endemic to Filaria

Source: Directorate of National Vector Borne Disease Control Programme, 2005

3.1.1.3 Cases & Deaths Due to Kala-Azar 2001-05

S. No.	States/ UTs	2001		2002		2003		2004 ²		2005 ²	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7	8	9	10	11
1	Bihar	10327	204	9684	160	13960	187	15683	101	7874	43
2	Gujarat	1 ¹	0	0	0	0	0	0	0	-	-
3	Jharkhand	589	0	758	0	2607	5	4028	14	2200	3
4	Uttar Pradesh	22	3	32	1	34	1	34	2	1	0
5	West Bengal	1238	4	1592	5	1487	7	2876	24	1521	13
6	Delhi ¹	62	2	74	2	126	10	78	9	24	1
	Total	12239	213	12140	168	18214	210	22699	150	11620	60

Notes:

1 Imported

2 Provisional

- Other states and UTs did not report any cases and deaths due to Kala Azar in the last six years.

Source: National Vector Borne Disease Control Programme, Delhi, 2005

3.1.1.4 Cases & Deaths Due to Japanese Encephalitis 2000-05

S.No.	States/UTs	2000		2001		2002		2003		2004(P)		2005(P) ¹	
		C	D	C	D	C	D	C	D	C	D	C	D
1		2	3	4	5	6	7	8	9	10	11	12	13
1	Andhra Pradesh	343	72	33	4	22	3	329 ²	183 ²	7 ²	3 ²	0	0
2	Assam	158	69	343	200	472	150	109	49	235	64	47	12
3	Bihar	77	19	48	11	8	1	6	2	85	28	0	0
4	Goa	15	3	6	2	11	0	0	0	0	0	0	0
5	Haryana	74	43	47	22	59	40	104	67	37	27	0	0
6	Kerala	164	2	128	5	0	0	17	2	9	1	NR	NR
7	Karnataka	438	45	206	14	152	15	226	10	181	6	9	0
8	Madhya Pradesh	0	0	0	0	0	0	0	0	0	0	51 ²	26 ²
9	Maharashtra	2 ³	0	126	1	119	16	475	115	22	0	0	0
10	Manipur	0	0	0	0	2	1	1	0	0	0	NR	NR
11	Punjab	0	0	0	0	10	2	0	0	0	0	0	0
12	Tamil Nadu	4	0	0	0	0	0	163	36	69	9	4	0
13	Tripura	0	0	0	0	0	0	0	0	0	0	0	0
14	Uttar Pradesh	1170	253	1005	199	604	133	1124	237	1030 ²	228	381	107
15	West Bengal	148	50	119	21	301	105	2	1	3	1	6	0
16	Chandigarh	0	0	0	0	4	0	0	0	0	0	0	0
17	Delhi	0	0	0	0	1	0	12	5	17	0	0	0
	Total	2593	556	2061	479	1765	466	2568	707	1695	367	500	145

Notes:

1. Cases as reported by respective states up to 21.08.2005 provisionally.
 2. Suspected viral encephalitis
 3. State reported additional 80 cases for 2000 as suspected JE.
- C- Cases, D- Death, NR- Not Reported, P- Provisional

Source: National Anti Malaria Programme/ Now Directorate of NVBDCP/GOI, 2005

3.1.1.5 Cases & Deaths Due to Dengue in India 1999-05

S. No.	States/UTs	1999		2000		2001		2002		2003		2004		2005 ²	
		Cases	Death	Cases	Death	Cases	Death	Cases	Death	Cases	Death	Cases	Death	Cases	Death
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Andhra Pradesh	0	0	5	0	1	0	61	3	95	5	230	1	0	0
2	Bihar	0	0	0	0	0	0	1	0	0	0	0	0	0	0
3	Chandigarh	0	0	0	0	0	0	15	0	0	0	0	0	0	0
4	Delhi	168	2	180	2	322	3	45	2	2882	35	606	3	10	2
5	Goa	0	0	0	0	1	0	0	0	12	2	3	0	0	0
6	Gujarat	92	0	29	0	69	0	40	0	249	9	117	4	18	0
7	Haryana	3	0	2	0	260	5	3	0	95	4	25	0	0	0
8	Karnataka	39	0	196	0	220	0	428	1	1226	7	291	2	39	0
9	Kerala	0	0	0	0	41	0	219	2	3546	68	686	8	665	6
10	Maharashtra	59	12	66	3	54	2	370	18	772	45	856	22	16	0
11	Orissa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
12	Sikkim	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12	0	0	0
13	Punjab	419	1	91	1	49	0	27	2	848	13	52	0	2	0
14	Rajasthan	1	0	0	0	1452	35	325	5	685	11	207	5	7	0
15	Tamil Nadu	135	2	81	1	816	8	392	0	1600	8	1027	0	181	0
16	Uttar Pradesh	28	0	0	0	21	0	0	0	738	8	0	0	0	0
17	Pondicherry	0	0	0	0	0	0	0	0	6	0	8	0	0	0
18	D & N Haveli	0	0	0	0	0	0	0	0	0	0	1	0	0	0
19	West Bengal	0	0	0	0	0	0	0	0	0	0	32	0	0	0
	Total	944	17	650	7	3306	53	1926	33	12754	215	4153	45	938	8

Note:

1 As on 10.12.2004

2 Provisional

Source: National Anti Malaria Programme / Now Directorate of NVBDCP/GOI, 2005

3.1.1.6 States/UTs wise Cases & Deaths Due to Cholera in India 2005

S.No.	State/UTs	Jan. to Mar.		Apr. to June		July to Sept.		Oct. to Dec.		Progressive Total (Provisional) ¹					
										Cases			Deaths		
		C	D	C	D	C	D	C	D	Male	Female	Total	Male	Female	Total
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
1	Andhra Pradesh	3	0	62	0	98	0	2	0	NR	NR	165	NR	NR	0
2	Arunachal Pradesh	0	0	0	0	0	0	NR	NR	0	0	0	0	0	0
3	Assam	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	0	NR	NR	0
4	Bihar	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	0	NR	NR	0
5	Chhattisgarh	0	0	0	0	0	0	0	0	0	0	0	0	0	0
6	Goa	0	0	0	0	NR	NR	NR	NR	0	0	0	0	0	0
7	Gujarat	1	0	40	0	38	2	1	0	NR	NR	80	NR	NR	2
8	Haryana	0	0	4	0	2	0	1	0	4	3	7	0	0	0
9	Himachal Pradesh	0	0	0	0	2	0	0	0	1	1	2	0	0	0
10(a)	Jammu Division	0	0	0	0	0	0	0	0	0	0	0	0	0	0
10(b)	Kashmir Division	0	0	0	0	NR	NR	NR	NR	0	0	0	0	0	0
11	Jharkhand	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	0	NR	NR	0
12	Karnataka	5	0	28	1	34	0	147	0	106	108	214	0	1	1
13	Kerala	4	0	8	0	0	0	15	0	19	8	27	0	0	0
14	Madhya Pradesh	0	0	0	0	2	0	0	0	NR	NR	2	0	0	0
15	Maharashtra	57	0	48	0	500	1	119	0	NR	NR	724	NR	NR	1
16	Manipur	0	0	0	0	1	0	0	0	0	1	1	0	0	0
17	Meghalaya	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	0	NR	NR	0
18	Mizoram	0	0	0	0	0	0	0	0	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0	0	0	0	0	0	0	0	0
20	Orissa	0	0	0	0	0	0	0	0	0	0	0	0	0	0
21	Punjab	0	0	0	0	14	1	1	0	10	5	15	1	0	1
22	Rajasthan	0	0	0	0	2	0	0	0	2	0	2	0	0	0
23	Sikkim	0	0	0	0	NR	NR	0	0	0	0	0	0	0	0
24	Tamil Nadu	77	0	76	0	70	1	501	0	411	313	724	1	0	1
25	Tripura	0	0	0	0	0	0	NR	NR	0	0	0	0	0	0
26	Uttar Pradesh	0	0	0	0	2	0	0	0	0	0	2	0	0	0
27	Uttaranchal	0	0	0	0	0	0	0	0	0	0	0	0	0	0
28	West Bengal	18	0	90	0	81	0	47	0	150	85	236	0	0	0
29	A& N Islands	0	0	0	0	0	0	0	0	0	0	0	0	0	0
30	Chandigarh	0	0	1	0	8	0	0	0	5	4	9	0	0	0
31	D & N Haveli	0	0	0	0	0	0	0	0	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0	0	0	0	0	0	0	0	0
33	Delhi	8	0	350	0	455	0	132	0	574	371	945	0	0	0
34	Lakshadweep	0	0	0	0	0	0	0	0	0	0	0	0	0	0
35	Pondicherry	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Total	173	0	707	1	1309	5	966	0	1282	899	3155	2	1	6

Notes:

- C: Cases, D: Deaths
 - This statement is based on weekly reports, which provide details of areas within the states/UTs where cases have occurred.
 - 0: NIL
 - NR: Not Received
1. The sum of Male and Female may not tally with the total as some States/UTs have not reported gender wise information

Source: Directorate of Health Services of States/UTs, 2005

3.1.1.7 States/UTs wise Cases and Deaths Due to Acute Diarrhoeal Disease in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	750959	170	747864	65	1498823	235
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chhattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	1219	0	1124	0	2343	0
7	Gujarat	241708	8	228967	7	470675	15
8	Haryana	148184	12	146233	20	294417	32
9	Himachal Pradesh	183551	16	195108	3	378659	19
10	Jammu & Kashmir	NR	NR	NR	NR	528677	2
11	Jharkhand	8178	1	5270	2	13448	3
12	Karnataka	475974	154	437821	103	913795	257
13	Kerala	240240	3	300613	2	540853	5
14	Madhya Pradesh	270263	44	231498	21	501761	65
15	Maharashtra	366905	23	363012	15	729917	38
16	Manipur	5371	0	5377	1	10748	1
17	Meghalaya	74811	24	65401	30	140212	54
18	Mizoram	7741	6	7533	4	15274	10
19	Nagaland	844	0	512	0	13803	0
20	Orissa	198940	58	151237	34	350177	92
21	Punjab	80691	15	81497	17	162188	32
22	Rajasthan	177259	6	136165	5	313424	11
23	Sikkim	25453	1	25164	0	50617	1
24	Tamil Nadu	NR	NR	NR	NR	146711	19
25	Tripura	74384	20	66260	16	140644	36
26	Uttaranchal	24029	3	24451	1	48480	4
27	Uttar Pradesh	61506	45	46641	28	108147	73
28	West Bengal	698418	327	649082	218	1347500	545
29	A & N Islands	12397	5	10433	1	22830	6
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	31681	2	31724	4	63405	6
32	Daman & Diu	1220	0	1293	0	2513	0
33	Delhi	73916	45	52844	38	126760	83
34	Lakshadweep	3632	0	3156	0	6788	0
35	Pondicherry	56161	1	47142	2	103303	3
	Total	4295635	989	4063422	637	9046892	1647

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs DGHS, 2005

3.1.1.8 States/UTs wise Cases and Deaths Due to Enteric Fever (Typhoid) in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	82229	13	79336	17	161565	30
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chhattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	19	0	14	0	33	0
7	Gujarat	2178	0	2022	0	4200	0
8	Haryana	4597	4	3919	0	8516	4
9	Himachal Pradesh	11109	1	11362	1	22471	2
10	Jammu & Kashmir	NR	NR	NR	NR	36593	0
11	Jharkhand	587	0	337	0	924	0
12	Karnataka	34228	62	27720	45	61948	107
13	Kerala	3865	0	3518	0	7383	0
14	Madhya Pradesh	24482	55	22473	34	46955	89
15	Maharashtra	14566	0	13174	1	27740	1
16	Manipur	404	2	383	0	787	2
17	Meghalaya	2853	2	3084	2	5937	4
18	Mizoram	489	2	567	1	1056	3
19	Nagaland	151	1	101	0	2118	1
20	Orissa	6548	7	4916	3	11464	10
21	Punjab	7368	3	6910	2	14278	5
22	Rajasthan	2844	6	2331	6	5175	12
23	Sikkim	141	0	88	0	229	0
24	Tamil Nadu	NR	NR	NR	NR	34209	0
25	Tripura	14193	8	12355	12	26548	20
26	Uttaranchal	2275	0	2240	0	4515	0
27	Uttar Pradesh	5125	13	4566	9	9691	22
28	West Bengal	28870	35	25810	20	54680	55
29	A & N Islands	244	0	184	0	428	0
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	494	0	460	1	954	1
32	Daman & Diu	6	0	8	0	14	0
33	Delhi	9396	14	6897	3	16293	17
34	Lakshadweep	11	0	3	0	14	0
35	Pondicherry	550	0	370	4	920	4
	Total	259822	228	235148	161	567638	389

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.9 States/UTs wise Cases & Deaths Due to Acute Respiratory Infection in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	1310714	276	1302496	138	2613210	414
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	4160	0	4162	0	8322	0
7	Gujarat	445898	3	399358	1	845256	4
8	Haryana	595749	105	619033	60	1214782	165
9	Himachal Pradesh	779520	94	840477	76	1619997	170
10	Jammu & Kashmir	NR	NR	NR	NR	346109	0
11	Jharkhand	1607	0	930	0	2537	0
12	Karnataka	1080952	242	974813	94	2055765	336
13	Kerala	3989735	188	4888441	84	8878176	272
14	Madhya Pradesh	404576	72	337969	49	742545	121
15	Maharashtra	256684	54	269484	39	526168	93
16	Manipur	3417	0	3818	0	7235	0
17	Meghalaya	129868	18	121585	20	251453	38
18	Mizoram	15943	24	16796	26	32739	50
19	Nagaland	424	1	244	0	7070	1
20	Orissa	375372	36	279181	20	654553	56
21	Punjab	33357	2	36487	3	69844	5
22	Rajasthan	542340	35	440408	14	982748	49
23	Sikkim	31405	1	33264	2	64669	3
24	Tamil Nadu	NR	NR	NR	NR	328257	58
25	Tripura	92063	36	87043	27	179106	63
26	Uttaranchal	38932	7	36579	3	75511	10
27	Uttar Pradesh	138168	119	104711	60	242879	179
28	West Bengal	82245	26	78304	18	160549	44
29	A & N Island	23984	4	24519	2	48503	6
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	54329	3	57546	4	111875	7
32	Daman & Diu	0	0	0	0	0	0
33	Delhi	160728	210	129054	135	289782	345
34	Lakshadweep	17281	0	14005	1	31286	1
35	Pondicherry	33372	1	28674	1	62046	2
	Total	10642823	1557	11129381	877	22452972	2492

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.10 States/UTs wise Cases & Deaths Due to Tetanus Neonatal in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	84	1	79	0	163	1
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chhattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	0	0	0	0	0	0
7	Gujarat	5	1	3	1	8	2
8	Haryana	2	0	4	0	6	0
9	Himachal Pradesh	0	0	0	0	0	0
10	Jammu & Kashmir	0	0	0	0	0	0
11	Jharkhand	0	0	0	0	0	0
12	Karnataka	57	1	29	0	86	1
13	Kerala	0	0	0	0	0	0
14	Madhya Pradesh	150	19	97	14	247	33
15	Maharashtra	8	2	4	0	12	2
16	Manipur	1	0	0	0	1	0
17	Meghalaya	3	1	0	0	3	1
18	Mizoram	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0
20	Orissa	0	0	3	0	3	0
21	Punjab	10	4	5	1	15	5
22	Rajasthan	51	4	11	1	62	5
23	Sikkim	0	0	0	0	0	0
24	Tamil Nadu	0	0	0	0	0	0
25	Tripura	10	1	6	0	16	1
26	Uttaranchal	0	0	0	0	0	0
27	Uttar Pradesh	9	0	4	0	25	4
28	West Bengal	0	0	0	0	130	28
29	A & N Islands	0	0	1	0	1	0
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0
33	Delhi	27	7	16	3	43	10
34	Lakshadweep	0	0	0	0	0	0
35	Pondicherry	0	0	0	0	0	0
	Total	417	41	262	20	821	93

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/UTs. Have not reported gender wise information separately.
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.11 States/UTs wise Cases & Deaths Due to Tetanus in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	215	19	185	11	400	30
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	0	0	0	0	0	0
7	Gujarat	47	4	49	4	96	8
8	Haryana	10	2	12	3	22	5
9	Himachal Pradesh	4	0	1	1	5	1
10	Jammu & Kashmir	NR	NR	NR	NR	5	0
11	Jharkhand	39	0	11	0	50	0
12	Karnataka	0	0	0	0	0	0
13	Kerala	2	2	1	0	3	2
14	Madhya Pradesh	238	27	153	20	391	47
15	Maharashtra	111	17	88	9	199	26
16	Manipur	0	0	0	0	0	0
17	Meghalaya	0	0	0	0	0	0
18	Mizoram	1	0	1	0	2	0
19	Nagaland	0	0	0	0	46	0
20	Orissa	54	8	20	1	74	9
21	Punjab	69	10	44	2	113	12
22	Rajasthan	532	31	320	26	852	57
23	Sikkim	1	0	0	0	1	0
24	Tamil Nadu	NR	NR	NR	NR	17	1
25	Tripura	13	5	9	2	22	7
26	Uttaranchal	37	9	15	5	23	2
27	Uttar Pradesh	85	6	81	7	195	25
28	West Bengal	194	44	169	25	363	69
29	A & N Island	1	0	1	0	2	0
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	0	0	2	2	2	2
32	Daman & Diu	0	0	0	0	0	0
33	Delhi	64	11	24	2	88	13
34	Lakshadweep	0	0	0	0	0	0
35	Pondicherry	7	0	3	0	10	0
	Total	1724	195	1189	120	2981	316

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.12 States/UTs wise Cases & Deaths Due to Diphtheria in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	1911	2	2250	3	4161	5
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	0	0	0	0	0	0
7	Gujarat	40	3	38	4	78	7
8	Haryana	10	0	7	0	17	0
9	Himachal Pradesh	0	0	0	0	0	0
10	Jammu & Kashmir	0	0	0	0	0	0
11	Jharkhand	0	0	0	0	0	0
12	Karnataka	28	0	15	0	43	0
13	Kerala	16	0	10	0	26	0
14	Madhya Pradesh	51	0	60	3	111	3
15	Maharashtra	72	10	58	6	130	16
16	Manipur	0	0	0	0	0	0
17	Meghalaya	1	0	0	0	1	0
18	Mizoram	3	0	3	0	6	0
19	Nagaland	17	0	2	0	180	0
20	Orissa	2	1	0	0	2	1
21	Punjab	0	0	2	0	2	0
22	Rajasthan	189	11	80	8	269	19
23	Sikkim	0	0	0	0	0	0
24	Tamil Nadu	NR	NR	NR	NR	19	0
25	Tripura	0	0	1	100	1	0
26	Uttaranchal	177	0	38	0	215	0
27	Uttar Pradesh	3	0	1	0	4	0
28	West Bengal	250	7	264	3	514	10
29	A & N Island	0	0	0	0	0	0
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	0	0	0	0	0	0
32	Daman & Diu	0	0	0	0	0	0
33	Delhi	25	4	22	3	47	7
34	Lakshadweep	0	0	0	0	0	0
35	Pondicherry	0	0	0	0	0	0
	Total	2795	38	2851	30	5826	68

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.13 States/UTs wise Cases & Deaths Due to Whooping Cough in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	5770	0	4368	0	10138	0
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	0	0	0	0	0	0
7	Gujarat	69	1	92	0	161	1
8	Haryana	14	0	16	0	30	0
9	Himachal Pradesh	0	0	0	0	0	0
10	Jammu & Kashmir	NR	NR	NR	NR	1322	0
11	Jharkhand	133	0	85	0	218	0
12	Karnataka	350	1	238	0	588	1
13	Kerala	122	0	90	0	212	0
14	Madhya Pradesh	4864	0	3874	0	8738	0
15	Maharashtra	45	0	39	0	84	0
16	Manipur	36	0	37	0	73	0
17	Meghalaya	230	0	326	0	556	0
18	Mizoram	23	0	21	0	44	0
19	Nagaland	418	0	245	0	3424	0
20	Orissa	223	1	182	0	405	1
21	Punjab	1	0	3	0	4	0
22	Rajasthan	225	0	74	0	299	0
23	Sikkim	0	0	0	0	0	0
24	Tamil Nadu	NR	NR	NR	NR	265	0
25	Tripura	239	0	172	0	411	0
26	Uttaranchal	47	0	31	0	78	0
27	Uttar Pradesh	1111	0	865	0	1976	0
28	West Bengal	807	0	772	0	1579	0
29	A & N Island	26	0	18	0	44	0
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	2	0	1	0	3	0
32	Daman & Diu	0	0	0	0	0	0
33	Delhi	250	0	220	0	470	0
34	Lakshadweep	0	0	0	0	0	0
35	Pondicherry	0	0	0	0	0	0
	Total	15005	3	11769	0	31122	3

Notes

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some states/uts. Have not reported gender wise information separately
- NA: Not Available

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.14 States/UTs wise Cases & Deaths Due to Measles in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	1627	1	1463	0	3090	1
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chhattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	0	0	0	0	0	0
7	Gujarat	128	4	100	2	228	6
8	Haryana	44	0	26	0	70	0
9	Himachal Pr.	245	0	259	0	504	0
10	Jammu & Kashmir	NR	NR	NR	NR	3004	0
11	Jharkhand	43	0	7	0	50	0
12	Karnataka	1256	2	1051	0	2307	2
13	Kerala	2188	0	1877	0	4065	0
14	Madhya Pradesh	859	0	339	1	1198	1
15	Maharashtra	985	3	776	3	1761	6
16	Manipur	40	0	40	0	80	0
17	Meghalaya	581	1	627	0	1208	1
18	Mizoram	127	1	113	0	240	1
19	Nagaland	17	0	2	0	1116	0
20	Orissa	240	2	194	0	434	2
21	Punjab	58	0	31	0	89	0
22	Rajasthan	92	0	53	0	145	0
23	Sikkim	111	0	99	0	210	0
24	Tamil Nadu	NR	NR	NR	NR	291	0
25	Tripura	330	0	232	0	562	0
26	Uttaranchal	158	0	121	0	279	0
27	Uttar Pradesh	584	3	514	0	1098	3
28	West Bengal	7450	10	6327	4	13777	14
29	A & N Islands	21	0	17	0	38	0
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	8	0	3	0	11	0
32	Daman & Diu	0	0	0	0	0	0
33	Delhi	433	11	320	6	753	17
34	Lakshadweep	0	0	0	0	0	0
35	Pondicherry	51	0	52	0	103	0
	Total	17676	38	14643	16	36711	54

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/UTs. have not reported gender wise information separately.
- NA: Not Available

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.15 States/UTs wise Cases and Deaths Due to Viral Hepatitis (All Causes) in India 2005

S.No.	State/ UTs	Male		Female		Total	
		Cases	Deaths	Cases	Deaths	Cases	Deaths
	1	2	3	4	5	6	7
1	Andhra Pradesh	14709	27	11794	9	26503	36
2	Arunachal Pradesh	NR	NR	NR	NR	NR	NR
3	Assam	NR	NR	NR	NR	NR	NR
4	Bihar	NR	NR	NR	NR	NR	NR
5	Chattisgarh	NR	NR	NR	NR	NR	NR
6	Goa	11	0	8	0	19	0
7	Gujarat	5775	5	3875	7	9650	12
8	Haryana	2437	15	1021	5	3458	20
9	Himachal Pradesh	1344	0	1146	0	2490	0
10	Jammu & Kashmir	NR	NR	NR	NR	7908	1
11	Jharkhand	17	0	6	0	23	0
12	Karnataka	9786	20	7108	26	16894	46
13	Kerala	5539	12	3366	3	8905	15
14	Madhya Pradesh	3792	115	3255	13	7047	128
15	Maharashtra	27490	39	11677	43	39167	82
16	Manipur	55	0	46	0	101	0
17	Meghalaya	104	0	130	0	234	0
18	Mizoram	343	1	299	1	642	2
19	Nagaland	13	0	0	0	1078	0
20	Orissa	1543	12	979	9	2522	21
21	Punjab	824	4	600	1	1424	5
22	Rajasthan	1185	22	692	5	1877	27
23	Sikkim	148	2	102	0	250	2
24	Tamil Nadu	NR	NR	NR	NR	4042	13
25	Tripura	525	5	389	1	914	6
26	Uttaranchal	616	1	268	0	884	1
27	Uttar Pradesh	178	3	129	2	307	5
28	West Bengal	2828	76	2009	38	4837	114
29	A & N Island	172	5	95	2	267	7
30	Chandigarh	NR	NR	NR	NR	NR	NR
31	D & N Haveli	97	7	62	2	159	9
32	Daman & Diu	6	0	5	0	11	0
33	Delhi	5774	56	4169	43	9943	99
34	Lakshadweep	22	0	18	0	40	0
35	Pondicherry	302	0	189	0	491	0
	Total	85635	427	53437	210	152087	651

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs, DGHS, 2005

3.1.1.16 States/UTs wise Cases and Deaths Due to Rabies in India 2005

S.No.	State/UTs	Male Cases	Female Cases	Total Cases
1	2	3	4	
1	Andhra Pradesh	17	7	24
2	Arunachal Pradesh	NR	NR	NR
3	Assam	NR	NR	NR
4	Bihar	NR	NR	NR
5	Chhattisgarh	NR	NR	NR
6	Goa	0	0	0
7	Gujarat	NR	NR	12
8	Haryana	0	0	0
9	Himachal Pr.	1	2	3
10	Jammu & Kashmir	0	0	0
11	Jharkhand	0	0	0
12	Karnataka	5	1	6
13	Kerala	18	8	26
14	Madhya Pradesh	1	0	1
15	Maharashtra	43	17	60
16	Manipur	0	0	0
17	Meghalaya	0	0	0
18	Mizoram	0	0	0
19	Nagaland	0	0	0
20	Orissa	2	0	2
21	Punjab	0	0	0
22	Rajasthan	11	4	15
23	Sikkim	0	1	1
24	Tamil Nadu	NR	NR	3
25	Tripura	2	0	2
26	Uttaranchal	0	0	0
27	Uttar Pradesh	0	0	0
28	West Bengal	67	37	104
29	A & N Islands	0	0	0
30	Chandigarh	NR	NR	..
31	D & N Haveli	0	0	0
32	Daman & Diu	0	0	0
33	Delhi	11	0	11
34	Lakshadweep	0	0	0
35	Pondicherry	0	4	4
	Total	178	81	274

Notes:

- Data is provisional and not comparable due to ill defined coverage
- The sum of male and female may not tally with the total figure as some States/Us. Have not reported gender wise information separately
- NR: Not Reported

Source: Monthly Health Condition Reports of States/UTs DGHS, 2005

3.1.1.17 States/UTs wise Observed HIV Prevalence Levels in India 1998-04

S. No.	States/UTs	Number of sites in 2004	HIV Prev. 1998 (%) (180 sites)	HIV Prev. 1999 (%) (180 sites)	HIV Prev. 2000 (%) (232 sites)	HIV Prev. 2001 (%) (320 sites)	HIV Prev. 2002 (%) (384 sites)	HIV Prev. 2003 (%) (455 sites)	HIV Prev. 2004 (%) (670 sites)
1	2	3	4	5	6	7	8	9	
1	Andhra Pradesh	STD 8	24.9	29.5	30	26.6	30.4	19.6	16.4
		ANC 23	2.25	2.6	2	1.5	1.25	1.25	2.25
2	Arunachal Pradesh	STD 4	0	0	0.1	0	0	0	0
		ANC 2	0.4	0	0	0	0	0.38	0.17
3	Assam	STD 5	2.1	2.4	0.61	1.49	0.75	1.2	0.8
		ANC 4	0	0	0	0	0	0	0
4	Bihar	STD 8	1.35	0.6	0.5	1.2	1.6	0.4	1.2
		ANC 7	0	0	0.1	0.13	0.25	0	0
5	Chattisgarh	STD 3	-	-	-	1.4	0.8	2.27	2.53
		ANC 5	-	-	-	0.33	0.25	1	0
6	Delhi	STD 4	1.6	0.8	3.26	4.65	3.23	3.23	7.98
		ANC 4	0.25	0.3	0.25	0.13	0.25	0.25	0.38
		IDU 1			5	2.4	7.2	7.2	17.6
7	Goa	STD 2	19.4	13.5	12.02	15	11.29	14.3	15.77
		ANC 2	1.2	0.8	1.17	0.5	1.38	0.5	1.13
		MSM 1			53.2	50.79	24	30.1	1.7
8	Gujarat	STD 8	2.5	6.7	4.65	4.14	6.17	4.5	3.6
		ANC 8	0	0.4	0.5	0.5	0.38	0.4	0.13
9	Haryana	STD 5	2.6	5.3	2.75	1.08	1.14	1.2	0.93
		ANC 4	0	0	0	0.41	0.38	0.25	0
10	Himachal Pradesh	STD 5	2	0.4	0.4	0.26	0.4	0.8	0
		ANC 7	0.36	0.3	0.89	0.13	0	0	0.13
11	Jammu & Kashmir	STD 2	1.83	1.2	0.4	0.8	0.95	1.86	0.2
		ANC 3	0	0	0.12	0.25	0.08	0	0.08
12	Jharkhand	STD 3	-	-	-	0.25	0.13	0.13	0
		ANC 6	-	-	-	0.08	0	0	0
13	Karnataka	STD 7	16.7	15.5	12.8	16.4	13.6	10.4	12
		ANC 27	1.75	1	1.68	1.13	1.75	1.25	1.25
		IDU 1	-	1.3	4.23	2	2.26	2.8	0
14	Kerala	STD 4	2.6	3.2	5.2	6.42	2.45	2.45	2.78
		ANC4	0.1	0	0	0.08	0.38	0.38	0.33
15	Madhya Pradesh	STD 10	3.5	0.2	1.6	2.69	2.35	1.2	1.8
		ANC13	0	0.3	0.12	0.25	0	0	0.25
16	Maharashtra	STD 9	16	20	18.4	9.2	7.6	10	10.4
		ANC 35	2	2.1	1.12	1.38	1.25	1.25	1.25
17	Mumbai	STD 3			33.33	21.06	14.84	18.4	15.65
		ANC 6			2	2.25	0.75	1.25	1.12
		IDU 1			23.68	41.37	39.42	24.8	28
		MSM 1			23.94	23.6	16.8	18.8	9.6
		FSW 1			58.67	52.26	54.5	54.29	44.7
18	Manipur	IDU 3	70.7	48.8	64.34	56.26	39.06	24.4	22
		STD 2	4.15	12	11.6	10.5	9.6	13	7.2
		ANC 10	0.75	2.3	0.75	1.75	1.12	1.25	1.5

NATIONAL HEALTH PROFILE 2005

S. No.	States/UTs	Number of sites in 2004	HIV Prev. 1998 (%) (180 sites)	HIV Prev. 1999 (%) (180 sites)	HIV Prev. 2000 (%) (232 sites)	HIV Prev. 2001 (%) (320 sites)	HIV Prev. 2002 (%) (384 sites)	HIV Prev. 2003 (%) (455 sites)	HIV Prev. 2004 (%) (670 sites)
1	2	3	4	5	6	7	8	9	
19	Meghalaya	IDU 1	0	0	1.41	1.39	0	0.4	0
		STD 2	0.13	0.3	0	0	0.9	0.25	0
		ANC 2	0	0	0	0	0	0	0
20	Mizoram	IDU 1	1	1.5	9.61	2	1.6	4	6.8
		STD 2	1.49	0.76	2	2.2	2.6	3.8	1
		ANC 3	0.48	0.48	0.37	0.33	1.5	1.38	1.25
21	Nagaland	IDU 3	13.2	7.6	7.03	5.5	10.28	13.86	4.49
		STD1	11.1	4.4	6.9	7.4	2.42	0.9	1.7
		ANC8	0.7	1.3	1.35	1.25	1.25	1.25	1.43
22	Orissa	STD 7	2.86	1.2	2.6	0.8	0.8	2.4	2.8
		ANC5	0	0.1	0.27	0.25	0.25	0	0.5
23	Punjab	STD 3	0	2	0.8	1.61	1.6	1.6	1.09
		ANC 4	0	0.4	0	0.4	0.49	0	0.25
24	Rajasthan	STD 7	5.2	3.2	2.84	4	6	3.7	2.92
		ANC 6	0	0.3	0.25	0	0.5	0.13	0
25	Sikkim	STD 1	0	0	0	0	0	0	0
		ANC 2	0.13	0.1	0	0	0.13	0.13	0
26	Tamil Nadu	STD 11	16.3	10.4	16.8	12.6	14.7	9.2	8.4
		ANC 30	1	1	1	1.13	0.88	0.75	0.5
		IDU 1			26.7	24.56	33.8	63.8	39.9
		MSM 2			4	2.4	2.4	4.4	6.8
27	Tripura	STD 2	0	0.8	1.34	3.2	1.4	0	0
		ANC 1	-	-	-	0.25	0	0	0.3
28	Uttar Pradesh	STD 17	1.6	0.6	1.8	0.9	0.8	0.55	0.8
		ANC 17	0.24	0	0.12	0	0.25	0	0.25
29	Uttranchal	STD 4			-	0.4	0.26	0	0.37
		ANC 3			-	0	0.23	0	0
30	West Bengal	STD 9	0.4	1.4	1.96	0.6	0.47	1.45	0.88
		ANC 9	0.62	0.1	0.5	0.13	0	0.5	0.5
		IDU 1			-	-	1.5	2.7	5.5
31	A & N Islands	STD 2	1.2	0.4	1.2	1.2	2.6	1.6	1.6
		ANC 3	0	0	0.25	0.16	0	0.5	0
32	Chandigarh	STD 2	2.95	1.8	3.35	3.78	0.8	1.66	1.8
		ANC 1	0.47	0.8	0	0	0.25	0.5	0.5
33	D & N Haveli	STD 0	0	0	-	-	-	-	0
		ANC 1	0	0	0	0.25	1	0.13	0
34	Daman & Diu	STD 0	0	0	-	-	-	-	0
		ANC 2	0.13	0	0	0.25	0.22	0.5	0.38
35	Lakshdweep	STD 1	0	0	0	-	0	0	0
		ANC 2	0.6	0	0	-	0	0	0
36	Pondicherry	STD 3	7.2	5.8	4.1	2	2.02	2.6	4.8
		ANC2	0.5	0.9	0.25	0.25	0.25	0.13	0.25

Note:

- HIV Prevalence values in States with more than 3 sites are median values, while in States/UTs with 3 or less than 3 sites, the values are mean values.
- Sites with 75% coverage of desired sample size (STD: 250 & ANC: 400) are included for analysis

Source: National AIDS Control Organization, 2005

3.1.1.18 States/UTs wise Cases of AIDS in India 2005

S. No.	India/States/UTs	AIDS Cases
1	2	
	India	117716
1	Andhra Pradesh	14053
2	Arunachal Pradesh	0
3	Assam	265
4	Bihar	155
5	Chattisgarh	0
6	Goa	634
7	Gujarat	6333
8	Haryana	535
9	Himachal Pradesh	292
10	Jammu & Kashmir	2
11	Jharkhand	0
12	Karnataka	3790
13	Kerala	1769
14	Madhya Pradesh	1486
15	Maharashtra	14024
16	Manipur	2866
17	Meghalaya	8
18	Mizoram	106
19	Nagaland	736
20	Orissa	641
21	Punjab	386
22	Rajasthan	1153
23	Sikkim	8
24	Tamil Nadu	52036
25	Tripura	5
26	Uttar Pradesh	1751
27	Uttaranchal	60
28	West Bengal	2397
29	A & N Islands	37
30	Chandigarh	1497
31	Dadra & Nagar Haveli	0
32	Daman & Diu	1
33	Delhi	1976
34	Lakshadweep	0
35	Pondicherry	302

Note:

- Data As on 31st December 2005

Source: National AIDS Control Organization, 2005

3.1.1.19 Annual Performance of RNTCP Case Detection (2005), Smear Conversion (4th Quarter, 2004 and 1st to 3rd quarter, 2005), and Treatment Outcomes (2004)

S.No	State/UTs	Population (in lakh) covered by RNTCP		No. Of suspects examined	No. Of smear positive patients diagnosed	% of s+ve cases among suspects	% smear positive patients living in the district placed on dots	Total patients registered for treatment	New smear positive patients registered for treatment	Success rate of new smear positive patients
		No.	%							
1	Andaman & Nicobar	4	100%	1915	178	9%	93%	375	130	NE
2	Andhra Pradesh	798	100%	445414	63552	14%	89%	108670	44094	87%
3	Arunachal Pradesh	12	100%	9906	1144	12%	96%	2346	799	92%
4	Assam	285	100%	101333	16446	16%	90%	29494	11830	80%
5	Bihar	611	67%	84238	12407	15%	86%	28012	8205	89%
6	Chandigarh	10	100%	13496	1526	11%	86%	2478	746	89%
7	Chhatisgarh	222	100%	90361	12140	13%	92%	23530	9704	85%
8	D & N Haveli	3	100%	680	111	16%	87%	141	80	NE
9	Daman & Diu	2	100%	1984	201	10%	70%	158	71	NE
10	Delhi	160	100%	153220	24460	16%	85%	45717	12703	87%
11	Goa	14	100%	10449	1059	10%	78%	1731	604	77%
12	Gujarat	549	100%	313485	54729	17%	91%	77087	30289	86%
13	Haryana	233	100%	144788	22366	15%	91%	34516	12669	81%
14	Himachal Pradesh	65	100%	64270	8216	13%	87%	13697	4832	89%
15	Jammu & Kashmir	112	100%	68869	3283	5%	61%	4478	1669	86%
16	Jharkhand	292	100%	84369	13268	16%	90%	26178	9742	90%
17	Karnataka	562	100%	372176	42820	12%	90%	68695	26612	82%
18	Kerala	330	100%	231783	14374	6%	93%	25074	11145	87%
19	Lakshadweep	1	100%	34	1	3%	100%	4	0	NE
20	Madhya Pradesh	659	100%	243055	44637	18%	89%	72335	27802	83%
21	Maharashtra	1050	100%	591035	77211	13%	94%	144564	55109	87%
22	Manipur	27	100%	14658	1354	9%	98%	4639	1045	86%
23	Meghalaya	26	100%	8554	1230	14%	96%	2953	957	76%
24	Mizoram	10	100%	6567	763	12%	98%	1915	551	86%
25	Nagaland	24	100%	9742	1016	10%	95%	2934	957	91%
26	Orissa	389	100%	173115	25550	15%	89%	44501	19979	82%
27	Pondicherry	10	100%	14767	1476	10%	87%	1462	614	75%
28	Punjab	261	100%	146105	18535	13%	89%	30764	11944	86%
29	Rajasthan	624	100%	336451	66908	20%	88%	104315	38354	88%
30	Sikkim	6	100%	7380	825	11%	91%	1578	521	88%
31	Tamil Nadu	648	100%	645967	53072	8%	88%	92725	37254	88%
32	Tripura	34	100%	7428	989	13%	89%	1429	774	89%
33	Uttar Pradesh	1820	100%	706520	105892	15%	89%	176022	71203	87%
34	Uttaranchal	91	100%	55888	7338	13%	96%	10825	4429	87%
35	West Bengal	857	100%	525218	64544	12%	92%	107741	48776	87%
Total		10800	97%	5685220	763621	13%	90%	1293083	506193	86%

Notes:

- Success rate are Not Expected (NE) for states that began implementing RNTCP after 4th quarter 2004
- Projected population based on census population of 2001 is used for calculation of case-detection rate. 1 lakhs = 100,000 population
- Detailed state/district wise annual and quarterly performance reports available at www.tbcindia.org

Source: Central TB Division, DGHS, 2005

3.1.1.20 States/UTs wise Leprosy Case Detection, Treatment & Discharge in India 2004-05

S.No.	States/ UTs	Estimated Population Mar. 2005	Total New Cases Detected	Cases Discharged as Cured	Cases on record under treatment	Prevalence Rate/10000 Population
	1	2	3	4	5	6
1	Andhra Pradesh	79742828	18751	28056	6323	0.79
2	Arunachal Pradesh	1196419	66	79	69	0.58
3	Assam	28530174	1227	1338	1182	0.41
4	Bihar	91482682	40395	68214	16532	1.81
5	Chattisgarh	22211571	13110	18034	7994	3.60
6	Goa	1420296	290	353	200	1.41
7	Gujarat	54832272	6900	10195	3651	0.67
8	Haryana	23244441	449	503	423	0.18
9	Himachal Pradesh	6480726	252	286	241	0.37
10	Jharkhand	29230570	19131	22944	7823	2.68
11	Jammu & Kashmir	11137008	298	316	348	0.31
12	Karnataka	56168678	7850	10671	4921	0.88
13	Kerala	33000375	1500	1845	1282	0.39
14	Madhya Pradesh	65825400	7626	11773	6182	0.94
15	Maharashtra	104892118	32618	45602	16513	1.57
16	Manipur	2650006	41	46	33	0.12
17	Meghalaya	2557409	27	17	42	0.16
18	Mizoram	985866	18	18	10	0.10
19	Nagaland	2414438	59	54	38	0.16
20	Orissa	38928689	20595	25652	8325	2.14
21	Punjab	26085912	1173	1344	1047	0.40
22	Rajasthan	62311437	1299	1594	1996	0.32
23	Sikkim	604794	39	53	26	0.43
24	Tamil Nadu	64786676	11244	14609	5503	0.85
25	Tripura	3381654	60	105	47	0.14
26	Uttar Pradesh	181864935	48010	76701	33884	1.86
27	Uttaranchal	9092469	1280	1656	850	0.93
28	West Bengal	85617760	20891	28607	18041	2.11
29	A & N Islands	391564	48	41	36	0.92
30	Chandigarh	1029430	289	294	285	2.77
31	Dadra & Nagar Haveli	264403	195	440	66	2.50
32	Daman & Diu	187911	2	3	2	0.11
33	Delhi	16006625	4221	5315	4958	3.10
34	Lakshadweep	64541	3	14	5	0.77
35	Pondicherry	1048739	106	162	32	0.31
	Total	1109670816	260063	376934	148910	1.34

Notes:

- Data for the period 1st April 2003 – 31st March 2004.
- All detected cases are initiated treatment with MDT.

Source: National Leprosy Eradication Programme, 2005

3.1.2 Non Communicable Diseases

3.1.2.1 Number of Estimated Cases of Coronary Heart Disease in India 2000 & 2005

S.No.	Age in years	2000			2005		
		Rural	Urban	Total	Rural	Urban	Total
	1	2	3	4	5	6	7
1	20-29	1799691	2711501	4511192	2012363	4138045	6150408
2	30-39	2854247	2635019	5489266	3383816	3869904	7253720
3	40-49	3342472	2776974	6119446	4217201	4116830	8334032
4	50-59	3590885	2288412	5879296	4544974	3171320	7716294
5	60-69	3153512	1888199	5041711	3849544	2582790	6432334
	Total	14740808	12300104	27040912	18007899	17878889	35886789

Source: NCMH Background Papers- Burden of Disease in India, 2005

3.1.2.2 Number of Estimated Cases of Diabetes in India 2000 & 2005

S.No.	Age in years	2000			2005		
		Rural	Urban	Total	Rural	Urban	Total
	1	2	3	4	5	6	7
1	20-29	549102	1003310	1552412	609128	1209725	1818853
2	30-39	1425108	2567970	3993077	1518041	3126311	4644352
3	40-49	2232090	3882005	6114095	2488845	4968478	7457323
4	50-59	2628455	4188171	6816626	2966586	5394860	8361446
5	60-69	2053095	2783100	4836195	2237319	3445602	5682920
6	70+	1100412	1401300	2501712	1267086	1807951	3075038
	Total	9988262	15825855	25814117	11087005	19952927	31039932

Source: Centre for Chronic Disease Control, NCMH Background Papers- Burden of Disease in India, 2005

3.1.2.3 States/UTs wise Estimated Prevalence of Blindness in India 2004

S.No.	India/State/UTs	Estimated prevalence per 1000 population					All
		0-14	15-49	50+	Male	Female	
	1	2	3	4	5	6	7
	India	0.1	0.6	77.3	10.2	12.2	11.2
1	Andhra Pradesh	0.1	0.7	89.2	12.4	14.3	13.3
2	Arunachal Pradesh	0.2	1.2	209.1	19.3	23.8	21.4
3	Assam	0.3	1.4	236.9	26.1	31.5	28.7
4	Bihar	0.1	0.4	55.6	6.6	8.1	7.3
5	Chattisgarh	0.1	0.8	111.2	13.7	16.6	15.1
6	Goa	0.1	0.7	98.7	13.6	15	14.3
7	Gujarat	0.1	0.5	72.1	9.2	11	10.1
8	Haryana	0.2	0.9	133.8	15.8	20	17.8
9	Himachal Pradesh	0.1	0.4	43.7	6.3	6.8	6.6
10	Jammu & Kashmir	0.1	0.9	130.4	14.2	16.1	15.1
11	Jharkhand	0.1	0.7	100.6	11.9	14.7	13.3
12	Karnataka	0.2	0.8	107.9	15.5	18	16.7
13	Kerala	0.1	0.2	27.8	5	5.5	5.3
14	Madhya Pradesh	0.1	0.6	80.1	9.9	12	10.9
15	Maharashtra	0.1	0.4	57	8.2	9.8	8.9
16	Manipur	0.1	0.7	105.1	12.3	13.7	13
17	Meghalaya	0.05	0.4	73.4	6.6	7.3	7
18	Mizoram	0.1	0.4	70.3	6.8	7.8	7.3
19	Nagaland	0.1	0.5	91.1	9	10.8	9.9
20	Orissa	0.1	0.6	84.6	12.2	14.2	13.2
21	Punjab	0.1	0.5	63.5	8.5	10.6	9.5
22	Rajasthan	0.1	0.8	109.5	13.1	16.1	14.6
23	Sikkim	0.05	0.3	60.2	5.6	6.7	6.1
24	Tamilnadu	0.1	0.3	38.3	6.8	7.9	7.3
25	Tripura	0.1	0.4	56.6	6.8	7.7	7.2
26	Uttar Pradesh	0.1	0.5	66.3	7.9	9.9	8.8
27	Uttranchal	0.04	0.3	39.5	4.7	5.9	5.3
28	West Bengal	0.1	0.5	76.2	10.1	12.3	11.2
29	A & N Islands	0.1	0.5	117.9	9.1	11.8	10.3
30	Chandigarh	0.1	0.4	94.1	8.2	11	9.5
31	D & N Haveli	0.1	0.5	89.6	8.5	9.4	8.9
32	Daman & Diu	0.1	0.5	80.8	9.6	10.5	10.1
33	Delhi	0.1	0.5	102.5	9.5	11.9	10.6
34	Lakshadweep	0.04	0.3	43.2	5	5.5	5.3
35	Pondicherry	0.1	0.4	51.3	7	7.6	7.3

Note:

- Estimates are based on various surveys conducted by the National Programme for Control of Blindness (NPCB)

Source: NCMH Background Papers- Burden of Disease in India, 2005

3.1.2.4 States/UTs wise Estimated Incidences of Blindness in India 2004

S.No.	India/State/ UTs	Estimated prevalence per 1000 population					All
		0-14	15-49	50+	Male	Female	
	1	2	3	4	5	6	7
	India	6396	57565	2068087	1002063	1129985	2132048
1	Andhra Pradesh	453	4075	146404	70938	79994	150932
2	Arunachal Pradesh	8	72	2574	1247	1407	2654
3	Assam	165	1486	53399	25874	29177	55050
4	Bihar	438	3946	141750	68683	77451	146134
5	Chattisgarh	175	1571	56450	27352	30844	58196
6	Goa	11	95	3430	1662	1874	3536
7	Gujarat	306	2757	99058	47997	54125	102122
8	Haryana	126	1134	40740	19740	22260	42000
9	Himachal Pradesh	44	393	14104	6834	7706	14540
10	Jammu & Kashmir	64	579	20789	10073	11359	21432
11	Jharkhand	206	1857	66705	32321	36447	68768
12	Karnataka	328	2953	106104	51411	57975	109386
13	Kerala	200	1802	64728	31363	35367	66730
14	Madhya Pradesh	339	3050	109577	53094	59872	112966
15	Maharashtra	569	5121	183993	89151	100533	189684
16	Manipur	17	151	5428	2630	2966	55596
17	Meghalaya	16	146	5248	2543	2867	5410
18	Mizoram	6	57	2058	997	11125	2122
19	Nagaland	11	102	3655	1771	1997	3768
20	Orissa	223	2003	71957	34866	39316	74182
21	Punjab	147	1325	47600	23064	26008	49072
22	Rajasthan	345	3103	111480	54016	6912	111928
23	Sikkim	4	34	1207	558	659	1244
24	Tamilnadu	383	3443	123689	59932	67582	127514
25	Tripura	25	227	8152	3950	4454	8404
26	Uttar Pradesh	1118	10060	361416	175119	197475	372594
27	Uttranchal	56	503	18069	8755	9873	18628
28	West Bengal	498	4486	161177	78096	88066	166162
29	A & N Islands	3	23	832	403	455	858
30	Chandigarh	6	53	1921	931	1049	1980
31	D & N Haveli	1	11	411	199	225	424
32	Daman & Diu	1	8	301	146	164	310
33	Delhi	96	866	31129	15083	17009	32092
34	Lakshadweep	0	4	153	74	84	158
35	Pondicherry	7	67	2398	1162	1310	2472

Note:

- Estimates are based on the National Programme for Control of Blindness (NPCB).

Source: NCMH Background Papers- Burden of Disease in India, 2005

3.1.2.5 Estimated Incidence of Common Cancers in India, 2004

S.No.	Site of Cancer	Incident Cases (%)	CIR/10 ⁵		ASR/10 ⁵		Ratio at Risk 0-74 years
			All Ages	35-64 years	All Ages	35-64 years	
	1	2	3	4	5	6	7
Males							
1	Oral Cavity	40700(10.9)	7.2	17.6	10.3	21.5	1:81
2	Lung	34983(09.3)	6.2	9.8	9.4	15.2	1:85
3	Pharynx	31716(08.5)	5.6	11.6	8.3	14.4	1:99
4	Oesophagus	24729(06.6)	4.4	9.7	6.6	11.9	1:123
5	Stomach	22222(05.9)	3.9	7.9	5.8	9.9	1:137
Females							
6	Cervix	112609(26.1)	21.3	57.4	28.5	70.7	1:32
7	Breast	90723(21.0)	17.1	39.7	22.8	53.1	1:40
8	Ovary	24246(05.6)	4.6	9.8	6.2	13.2	1:144
9	Oral Cavity	22741(05.3)	4.3	9.7	6.5	12.8	1:20
10	Oesophagus	17220(04.0)	3.3	6.8	5.0	8.7	1:163

Notes:

- CIR: Crude Incidence Rate
- ASR: age Standardized rate
- Oral Cavity includes lip, tongue, gum, floor of the mouth, cheek & palate
- Pharynx includes oro-, naso- & hypo pharynx
- Estimation of incidence rate of cancer for the entire country in the year 2004 was done by selecting registries on the basis of data quality & locations; selecting the same time window.

Source: NCMH Background Papers- Burden of Disease in India, 2005

3.1.3 Incidence of Deaths Due to Accidents in India 2001-03

S.No.	Causes	No. of Deaths		
		2001	2002	2003
	1	2	3	4
1	A. Natural Causes	36651	16723	14954
2	B. Un-Natural Causes	234368	243399	244671
	1. Air-Crash	30	37	51
	2. Collapse of Structures	3119	2216	2376
	3. Drowning	20739	19853	20960
	4. Electrocution	5641	5361	6336
	5. Explosions	575	636	722
	6. Falls	7446	7826	8800
	7. Factory/Machine accidents	641	674	712
	8. Fire	22449	21004	19278
	9. Fire Arms	2688	2597	1993
	10. Sudden Deaths	15065	15230	16749
	11. Killed by Animals	770	760	798
	12. Mines or quarry disaster	499	625	550
	13. Poisoning	24077	21886	21172
	14. Stampede	30	44	83
	15. Suffocation	892	1481	1144
	16. Traffic accidents	99516	101958	102951
	17. Other Causes	14266	25801	27591
	18. Causes Not Known	15925	15410	12405
	Total (Natural+Unnatural)	271019	260122	259625

Source: National Crime Records Bureau, Ministry of Home Affairs, 2003

3.2 Reproductive & Child Health

3.2.1 States/UTs wise Ante Natal Care In India 1998-99

S. No.	India/States/UTs	Mothers receiving at least one antenatal check-up (%)	Mothers receiving three or more antenatal check-up (%)	Mothers receiving two or more tetanus toxoid Injections (%)	Mothers receiving iron & folic acid tablets or syrup (%)
	1	2	3	4	5
	India	65.4	43.8	66.8	57.6
1	Andhra Pradesh	92.7	80.1	81.5	81.2
2	Arunachal Pradesh	61.6	40.5	45.6	56.3
3	Assam	60.1	30.8	51.7	55.0
4	Bihar	36.3	17.8	57.8	24.1
5	Chattisgarh	N.A	N.A	N.A	N.A
6	Goa	99.0	95.7	86.1	94.7
7	Gujarat	86.4	60.2	72.7	78.0
8	Haryana	58.1	37.4	79.7	67.0
9	Himachal Pradesh	86.8	60.9	66.2	85.6
10	Jammu & Kashmir	83.2	66.0	77.7	70.8
11	Jharkhand	N.A	N.A	N.A	N.A
12	Karnataka	86.3	71.4	74.9	78.0
13	Kerala	98.8	98.3	86.4	95.2
14	Madhya Pradesh	61.0	28.1	55.0	48.9
15	Maharashtra	90.4	65.4	74.9	84.8
16	Manipur	80.2	54.4	64.2	50.0
17	Meghalaya	53.6	31.3	30.8	49.5
18	Mizoram	91.8	75.8	37.8	72.7
19	Nagaland	60.4	23.1	50.9	42.5
20	Orissa	79.5	47.3	74.3	67.6
21	Punjab	74.0	57.0	89.9	79.6
22	Rajasthan	47.5	22.9	52.1	39.3
23	Sikkim	69.9	42.6	52.7	62.4
24	Tamil Nadu	98.5	91.4	95.4	93.2
25	Tripura	N.A	N.A	N.A	N.A
26	Uttar Pradesh	34.6	14.9	51.4	32.4
27	Uttaranchal	N.A	N.A	N.A	N.A
28	West Bengal	90.0	57.0	82.4	71.6
29	A&N Island	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A
31	Dadra & Nagar Haveli	N.A	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A	N.A
33	Delhi	83.5	68.2	84.9	77.8
34	Lakshadweep	N.A	N.A	N.A	N.A
35	Pondicherry	N.A	N.A	N.A	N.A

Note:

- N.A - Not Available

Source: National Family Health Survey-II (1998-99)

3.2.2 States/UTs wise Percentage of Deliveries Attended by Trained Personnel in India 1998-99

S.No.	India/States/UTs	Institutional Deliveries	Deliveries Assisted by a Health Professional
	1	2	3
	India	33.6	42.3
1	Andhra Pradesh	49.8	65.2
2	Arunachal Pradesh	31.2	31.9
3	Assam	17.6	21.4
4	Bihar	14.6	23.4
5	Chattisgarh	N.A	N.A
6	Goa	90.8	90.8
7	Gujarat	46.3	53.5
8	Haryana	22.4	42
9	Himachal Pradesh	28.9	40.2
10	Jammu & Kashmir	35.6	42.4
11	Jharkhand	N.A	N.A
12	Karnataka	51.1	59.1
13	Kerala	93	94
14	Madhya Pradesh	20.1	29.7
15	Maharashtra	52.6	59.4
16	Manipur	34.5	53.9
17	Meghalaya	17.3	20.6
18	Mizoram	57.7	67.5
19	Nagaland	12.1	32.8
20	Orissa	22.6	33.4
21	Punjab	37.5	62.6
22	Rajasthan	21.5	35.8
23	Sikkim	31.5	35.1
24	Tamil Nadu	79.3	83.8
25	Tripura	N.A	N.A
26	Uttar Pradesh	15.5	22.4
27	Uttaranchal	N.A	N.A
28	West Bengal	40.1	44.2
29	A&N Island	N.A	N.A
30	Chandigarh	N.A	N.A
31	Dadra & Nagar Haveli	N.A	N.A
32	Daman & Diu	N.A	N.A
33	Delhi	59.1	65.9
34	Lakshadweep	N.A	N.A
35	Pondicherry	N.A	N.A

Note:

- N.A- Not Available

Source: National Family Health Survey-II (1998-99)

3.2.3 States/UTs wise Percentage of Population Using Contraceptives in India 1998-99

S. No.	India/States/UT	Any Contraceptive method	Modern Methods				Not Using any Method	Other Methods ¹	
			Pill	IUD	Condom	Female Sterilization			Male Sterilization
	1	2	3	4	5	6	7	8	9
	India	48.2	2.1	1.6	3.1	34.2	1.9	51.8	10.4
1	Andhra Pradesh	59.6	0.5	0.6	0.7	52.7	4.3	40.4	1.2
2	Arunachal Pradesh	35.4	7.3	4.2	0.7	20.6	0.1	64.6	5.1
3	Assam	43.3	6.3	1.9	1.8	15.7	1	56.7	32.4
4	Bihar	24.5	1	0.5	0.7	19.2	1	75.5	3.7
5	Chattisgarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
6	Goa	47.5	0.9	1.9	4.9	27.8	0.4	52.5	22
7	Gujarat	59	1.5	3.1	3.5	43	2.3	41.0	11.3
8	Haryana	62.4	2.1	3.6	6.8	38.7	2.1	37.6	18.1
9	Himachal Pradesh	67.7	1.3	2.1	5	45.1	7.3	32.3	13.8
10	Jammu & Kashmir	49.1	3.3	3	4.8	28	2.7	50.9	14.1
11	Jharkhand	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
12	Karnataka	58.3	0.6	2.8	1	51.5	0.7	41.7	3.5
13	Kerala	63.7	0.4	1.6	3.1	48.5	2.5	36.3	15.2
14	Madhya Pradesh	44.3	1	0.8	2.9	35.7	2.2	55.7	3.1
15	Maharashtra	60.9	1.7	1.9	4	48.5	3.7	39.1	2.1
16	Manipur	38.7	2.2	6.8	1.3	14.4	1.1	61.3	25.5
17	Meghalaya	20.2	4.5	3.3	1.3	6.5	0	79.8	8.9
18	Mizoram	57.7	5.4	5.4	0.9	45.2	0.1	42.3	1.4
19	Nagaland	30.3	2.5	7.7	1.8	12.3	0.0	69.7	11.9
20	Orissa	46.8	3	0.8	0.9	33.9	1.7	53.2	12.1
21	Punjab	66.7	3.1	6.1	13.8	29.3	1.6	33.3	25.3
22	Rajasthan	40.3	1.5	1.2	3.1	30.8	1.5	59.7	4.1
23	Sikkim	53.8	9.5	5.6	1.5	22.4	2.4	46.2	24.7
24	Tamil Nadu	52.1	0.3	2.5	1.5	45.2	0.8	47.9	3.7
25	Tripura	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
26	Uttar Pradesh	28.1	1.2	1	4.2	14.9	0.7	71.9	11.8
27	Uttaranchal	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
28	West Bengal	66.6	9.2	1.4	2.9	32	1.8	33.4	37.9
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
31	Dadra & Nagar Haveli	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
33	Delhi	63.8	4	6.2	17.5	26.3	2.3	36.2	14.5
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
35	Pondicherry	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A

Notes:

- 1 Other methods include any traditional method, rhythm/safe period, withdrawal and any other method
- N.A- Not Available
 - Women include currently married women age 15-49

Source: Source: National Family Health Survey-II (1998-99)

3.2.4 States/UTs wise Percentage of Children Immunized In India 1998-99

S. No.	India/States/UTs	Percentage of eligible population i.e. infants reaching their 1 st birthday that have been fully immunized											Percentage Showing Vaccination Card
		BCG	Polio 0	DPT 1	DPT 2	DPT 3	Polio 1	Polio 2	Polio 3	Measles	All	None	
	1	2	3	4	5	6	7	8	9	10	11	12	13
	India	71.6	13.1	71.4	65	55.1	83.6	78.2	62.8	50.7	42	14.4	33.7
1	Andhra Pradesh	90.2	5.3	89.8	86.9	79.5	93.8	90.9	81.6	64.7	58.7	4.5	41.3
2	Arunachal Pradesh	54.2	4.5	57.4	52.7	41.8	67.6	62.5	43.3	33.6	20.5	28.7	24.6
3	Assam	53.5	3.1	57.4	48.5	37.5	61.8	53.6	37.9	24.6	17	33.2	32.5
4	Bihar	37.7	3.6	39.7	33.4	24.2	81.3	71.7	41	16.6	11	16.8	17.4
5	Chattisgarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
6	Goa	99.2	31.6	97.6	95.2	93.4	99.2	98.4	95.8	84.3	82.6	0	69.7
7	Gujarat	84.7	5.3	83.1	75.4	64.1	90.2	82.5	68.6	63.6	53	6.6	31.8
8	Haryana	86.8	6.1	89.5	84.5	71.1	90.1	87.4	74.3	72.2	62.7	9.9	24.4
9	Himachal Pradesh	94.6	4.2	96.7	96.1	88.8	97.2	97.2	89.8	89.1	83.4	2.8	54.6
10	Jammu & Kashmir	85.6	4.8	85.7	83.6	72.3	88.3	85.4	74.3	68.9	56.7	10.4	51.1
11	Jharkhand	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
12	Karnataka	84.8	26.4	87	84.8	75.2	91.9	89	78.3	67.3	60	7.7	41.2
13	Kerala	96.2	60.6	96	94.4	88	96.9	95.2	88.4	84.6	79.7	2.2	63.2
14	Madhya Pradesh	64.9	10.1	62.8	52.3	37	85.4	79	56.7	35.5	22.4	13.9	25.1
15	Maharashtra	93.7	8.3	94.9	91.7	89.4	97.2	94.7	90.8	84.3	78.4	2	48.9
16	Manipur	71	32.1	76.4	71	59.1	81.3	76.9	62.5	45.8	42.3	17.2	43.4
17	Meghalaya	46.1	11.5	44.8	36.8	25.4	51.8	43.8	27.6	17.7	14.3	42.3	20.6
18	Mizoram	88.2	4.6	86.9	83.9	69.5	88.3	83.5	71.9	71	59.6	10.5	41.1
19	Nagaland	46.1	5.5	48.1	40.9	29.6	66.6	60.3	41.8	19.6	14.1	32.7	18.4
20	Orissa	84.7	14.6	80.1	74.8	61.9	88.7	84.8	68.4	54	43.7	9.4	46.2
21	Punjab	88.7	11.2	88.4	87.3	82	90.5	88.5	83.6	76.5	72.1	8.7	43
22	Rajasthan	53.9	3.2	47.8	40.2	26.1	75.5	67.3	44.6	27.1	17.3	22.5	14.7
23	Sikkim	76.5	8.2	75.7	71.7	62.5	79.8	75.7	63.5	58.9	47.4	17.6	47
24	Tamil Nadu	98.6	85.5	98.6	97.5	96.7	99.7	99.5	98	90.2	88.8	0.3	45.8
25	Tripura	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
26	Uttar Pradesh	57.5	4.7	57.3	46.5	33.9	66.5	60.3	42.3	34.6	21.2	29.5	20.4
27	Uttaranchal	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
28	West Bengal	76.5	2.1	77.9	70.1	58.3	83.9	76.5	61.7	52.4	43.8	13.6	58
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
31	Dadra & Nagar Haveli	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
33	Delhi	92	36.9	90.8	88.3	79.9	93.8	91.7	81	77.5	69.8	5.1	43.7
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A
35	Pondicherry	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A	N.A

Notes:

- N.A- Not Available

Source: National Family Health Survey-II (1998-99)

3.2.5 States/UTs wise Percentage of Children Breastfed in India 1998-99

S.No.	India/States/UTs	Percent of Children Age 0-3 months exclusively breastfed	Percent of Children Age 6-9 months receiving breast milk and solid/mushy food	Percent of Children Age 20-23 months still breastfeeding
	1	2	3	4
	India	55.2	33.5	68.9
1	Andhra Pradesh	74.6	59.4	60.6
2	Arunachal Pradesh	33.9 ¹	60.2 ¹	76 ¹
3	Assam	42.5	58.5	83.5
4	Bihar	55.2	15	85.1
5	Chattisgarh	N.A	N.A	N.A
6	Goa	N.A	65.4 ¹	56.5 ¹
7	Gujarat	65.2	46.5	56.1
8	Haryana	47.2	41.8	77.5
9	Himachal Pradesh	17.5	61.3	60.2
10	Jammu & Kashmir	41.5	38.9	69.5
11	Jharkhand	N.A	N.A	N.A
12	Karnataka	66.5	38.4	44.9
13	Kerala	68.5	72.9	61.8
14	Madhya Pradesh	64.2	27.3	73.2
15	Maharashtra	38.5	30.8	63.7
16	Manipur	69.7	86.8	67.9
17	Meghalaya	16.1	77.1	63.2
18	Mizoram	40.7	74.2 ¹	47.4
19	Nagaland	43.9	81.3	61.4 ¹
20	Orissa	58	30.1	89.7
21	Punjab	36.3	38.7	53.8
22	Rajasthan	53.7	17.5	76.3
23	Sikkim	16.3	87.3	82 ¹
24	Tamil Nadu	48.3	55.4	29
25	Tripura	N.A	N.A	N.A
26	Uttar Pradesh	56.9	17.3	78.6
27	Uttaranchal	N.A	N.A	N.A
28	West Bengal	48	46.3	86.9
29	A&N Island	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A
31	Dadra & Nagar Haveli	N.A	N.A	N.A
32	Daman & Diu	N.A	N.A	N.A
33	Delhi	13.2	37	59.9
34	Lakshadweep	N.A	N.A	N.A
35	Pondicherry	N.A	N.A	N.A

Notes:

1 Based on 25-49 unweighted cases

- N.A- Not Available

Source: National Family Health Survey-II (1998-99)

3.2.6 States/UTs wise Percentage of Children & Women Suffering from Malnutrition and Average Calorie Intake in India 1998-99

S.No.	India/States/UTs	Percentage of children under 3 years			Age 6-35 months with any anaemia	Percentage of Women		Average intake of Energy (Kcal)
		Underweight	Undernourished			with Body Mass Index below 18.5 kg/m ²	Age 15-49 with any Anaemia	
			Stunted	Wasted				
	1	2	3	4	5	6	7	8
	India	47	36.8	12.5	74.3	35.8	51.8	23082
1	Andhra Pradesh	37.7	38.6	9.1	72.3	37.4	49.8	19464
2	Arunachal Pradesh	24.3	26.5	7.9	54.5	10.7	62.5	2430
3	Assam	36	50.2	13.3	63.2	27.1	69.7	1975
4	Bihar	54.4	53.7	21	81.3	39.3	63.4	24645
5	Chattisgarh	N.A	N.A	N.A	N.A	N.A	N.A	N.A
6	Goa	28.6	18.1	13.1	53.4	27.1	36.4	20955
7	Gujarat	45.1	43.6	16.2	74.5	37	46.3	2298
8	Haryana	34.6	50	5.3	83.9	25.9	47	23364
9	Himachal Pradesh	43.6	41.3	16.9	69.9	29.7	40.5	23234
10	Jammu & Kashmir	34.5	38.8	11.8	71.1	26.4	58.7	NA
11	Jharkhand	N.A	N.A	N.A	N.A	N.A	N.A	N.A
12	Karnataka	43.9	36.6	20	70.6	38.8	42.4	2196
13	Kerala	26.9	21.9	11.1	43.9	18.7	22.7	2231
14	Madhya Pradesh	55.1	51	19.8	75	38.2	54.3	2238
15	Maharashtra	49.6	39.9	21.2	76	39.7	48.5	2065
16	Manipur	27.5	31.3	8.2	45.2	18.8	28.9	26045
17	Meghalaya	37.9	44.9	13.3	67.6	25.8	63.3	17025
18	Mizoram	27.7	34.6	10.2	57.2	22.6	48	20175
19	Nagaland	24.1	33	10.4	43.7	18.4	38.4	21894
20	Orissa	54.4	44	24.3	72.3	48	63	2106
21	Punjab	28.7	39.2	7.1	80	16.9	41.4	23414
22	Rajasthan	50.6	52	11.7	82.3	36.1	48.5	23865
23	Sikkim	20.6	31.7	4.8	76.5	11.2	61.1	23865
24	Tamil Nadu	36.7	29.4	19.9	69	29	56.5	1814
25	Tripura	N.A	N.A	N.A	N.A	N.A	N.A	23065
26	Uttar Pradesh	51.7	55.5	11.1	73.9	35.8	48.7	N.A
27	Uttaranchal	N.A	N.A	N.A	N.A	N.A	N.A	N.A
28	West Bengal	48.7	41.5	13.6	78.3	43.7	62.7	N.A
29	A&N Island	N.A	N.A	N.A	N.A	N.A	N.A	N.A
30	Chandigarh	N.A	N.A	N.A	N.A	N.A	N.A	21835
31	Dadra & Nagar Haveli	N.A	N.A	N.A	N.A	N.A	N.A	21835
32	Daman & Diu	N.A	N.A	N.A	N.A	N.A	N.A	21835
33	Delhi	34.7	36.8	12.5	69	12	40.5	21835
34	Lakshadweep	N.A	N.A	N.A	N.A	N.A	N.A	N.A
35	Pondicherry	N.A	N.A	N.A	N.A	N.A	N.A	N.A

Notes:

- N.A- Not Available

Source: National Family Health Survey-II (1998-99)

3.2.7 States/UTs wise Incidence of Foeticide and Infanticide in India 1999-03

S.No.	India/State/UT	Foeticide					Infanticide				
		1999	2000	2001	2002	2003	1999	2000	2001	2002	2003
	1	2	3	4	5	6	7	8	9	10	11
	India	61	91	55	84	57	87	104	133	115	103
1	Andhra Pradesh	3	8	0	0	0	10	8	1	1	3
2	Arunachal Pradesh	0	0	0	0	0	2	0	0	0	0
3	Assam	0	0	0	0	0	5	4	0	1	0
4	Bihar	4	1	0	1	0	7	4	0	0	0
5	Chhattisgarh	NA	NA	5	0	6	NA	NA	6	6	9
6	Goa	0	0	0	0	0	1	0	0	0	0
7	Gujarat	7	0	4	9	4	0	4	1	4	0
8	Haryana	9	13	3	6	2	4	1	0	6	5
9	Himachal Pradesh	1	0	0	6	0	0	0	0	0	1
10	Jammu & Kashmir	1	0	0	2	0	1	1	0	1	0
11	Jharkhand	NA	NA	0	0	1	NA	NA	3	1	0
12	Karnataka	0	1	1	7	0	2	2	17	3	0
13	Kerala	0	0	0	2	0	0	2	1	1	0
14	Madhya Pradesh	17	14	7	4	11	16	31	31	18	24
15	Maharashtra	13	41	17	10	5	14	20	26	24	11
16	Manipur	0	0	0	0	0	0	0	0	0	0
17	Meghalaya	0	0	0	0	0	0	1	0	0	0
18	Mizoram	0	0	0	0	0	0	0	0	0	0
19	Nagaland	0	0	0	0	0	0	0	0	0	0
20	Orissa	0	1	0	0	0	2	0	0	0	0
21	Punjab	3	0	7	10	11	11	6	3	0	8
22	Rajasthan	3	9	8	6	12	6	5	3	2	9
23	Sikkim	0	0	0	0	0	2	3	0	0	0
24	Tamilnadu	0	0	0	0	0	0	8	1	16	14
25	Tripura	0	0	0	0	0	0	0	0	0	0
26	Uttar Pradesh	0	0	1	1	3	0	0	39	30	19
27	Uttranchal	NA	NA	0	0	0	NA	NA	0	0	0
28	West Bengal	0	0	0	0	0	1	2	0	0	0
29	Total (States)	61	88	53	64	55	84	102	132	114	103
30	A & N Islands	0	0	0	0	0	0	0	0	1	0
31	Chandigarh	0	1	0	0	0	0	0	0	0	0
32	D & N Haveli	0	0	0	0	0	0	0	0	0	0
33	Daman & Diu	0	0	0	0	0	0	0	0	0	0
34	Delhi	0	2	2	20	2	3	2	1	0	0
35	Lakshadweep	0	0	0	0	0	0	0	0	0	0
37	Pondicherry	0	0	0	0	0	0	0	0	0	0
38	Total (UTs)	0	3	2	20	2	3	2	1	1	0

Note:

- NA: Not Available.

Source: National Crime Records Bureau, Min. of Home Affairs.

3.3 Disability

3.3.1 States/UTs wise Proportion of Disabled Population by Type of Disability in India 2001

S.NO	India/States/UTs	Visual Disability	Speech Disability	Hearing Disability	Locomotor Disability only	Mental Disability	Total
	1	2	3	4	5	6	7
	India	10634881	1640868	1261722	6105477	2263821	21906769
1	Andhra Pradesh	581587	138974	73373	415848	155199	1364981
2	Arunachal Pradesh	23079	2429	3072	3474	1261	33315
3	Assam	282056	56974	51825	91970	47475	530300
4	Bihar	1005605	130471	73970	512246	165319	1887611
5	Chattisgarh	160131	30438	34093	151611	43614	419887
6	Goa	4393	1868	1000	4910	3578	15749
7	Gujarat	494624	66534	70321	310765	103221	1045465
8	Haryana	201358	24920	27682	151485	49595	455040
9	Himachal Pradesh	64122	12762	15239	46512	17315	155950
10	Jammu & Kashmir	208713	16956	14157	37965	24879	302670
11	Jharkhand	186216	39683	28233	138323	55922	448377
12	Karnataka	440875	90717	49861	266559	92631	940643
13	Kerala	334622	67066	79713	237707	141686	860794
14	Madhya Pradesh	63614	75825	85354	495878	115257	1408528
15	Maharashtra	580930	113043	92390	56945	213274	1569582
16	Manipur	11713	2769	2994	6177	4723	28376
17	Meghalaya	13381	3431	3668	5127	3196	28803
18	Mizoram	6257	2006	2421	2476	2851	16011
19	Nagaland	9968	4398	5245	4258	2630	26499
20	Orissa	514104	68673	84115	250851	103592	1021335
21	Punjab	170853	22756	17348	149758	63808	424523
22	Rajasthan	753962	73147	75235	400577	109058	1411979
23	Sikkim	10790	3174	3432	2172	799	20367
24	Tamil Nadu	964063	124479	72636	353798	127521	1642497
25	Tripura	27505	5105	5699	13970	6661	58940
26	Uttar Pradesh	1852071	255951	128303	930580	286464	3453369
27	Uttaranchal	85668	16749	15990	56474	19888	194769
28	West Bengal	862073	170022	131579	412658	270842	1847174
29	A&N Island	3321	652	545	1870	669	7057
30	Chandigarh	8422	882	607	3828	1799	15538
31	Dadra & Nagar Haveli	2346	295	337	795	275	4048
32	Daman & Diu	1898	189	120	690	274	3171
33	Delhi	120712	15505	8741	64885	26043	235886
34	Lakshadweep	603	207	147	505	216	1678
35	Pondicherry	10646	1818	2277	8830	2286	25857

Source: Registrar General of India, Census 2001